



Faulding® Gold Follow On Formula Stage 2 900g Powder

Faulding® Gold Follow On Formula Stage 2 Premium Australian formula. Made in Gippsland, Victoria using Australian milk. Premium nutrition for your baby's growing needs.

About this product

When it comes to nourishment for babies, breast is best. Where breastfeeding is not possible Faulding® Gold Formula is a suitable alternative.

Faulding® Gold Infant formula is made in Gippsland, Victoria with the milk base from grass-fed Australian dairy cows.

The Faulding® Gold range contains milk derived whey and casein protein, along with essential vitamins and minerals to help provide your child with the nourishment they require for their growing bodies.

Faulding® Gold Follow On Formula Stage 2 has been specifically formulated to nourish the growing needs of babies between 6-12 months.

Faulding® Gold product range is one of only a few premium standard formulas made in Australia from Australian milk and sold in Australian pharmacies.



Ingredients

Skim milk solids, Demineralised whey powder, Vegetable oil blend (Soy, Palm, High Oleic Sunflower, Coconut, Emulsifier (soy Lecithin), Whey protein concentrate, Lactose, Galacto-oligosaccharides, Inulin, Fish Oil (DHA), Arachidonic acid (ARA), Taurine, Inositol, L-carnitine, Lutein. Nucleotides: Adenosine 5'-monophosphate, Cytidine 5'-monophosphate, Guanosine 5'-monophosphate, Inosine 5'-monophosphate, Uridine 5'-monophosphate sodium salt. Minerals: Calcium carbonate, Potassium chloride, Potassium phosphate dibasic, Calcium hydrogen phosphate, Sodium chloride, Magnesium chloride, Ferrous sulphate, Potassium citrate, Sodium citrate, Zinc sulphate, Copper sulphate, Manganese sulphate, Potassium iodide, Sodium selenite. Vitamins: Ascorbic acid, Vitamin E acetate, Vitamin A acetate, Cholecalciferol, Niacinamide, Calcium pantothenate, Phytonadione, Riboflavin-5 phosphate sodium, Thiamine hydrochloride, Pyridoxine hydrochloride, Cyanocobalamin, Folic acid, D-biotin, Choline chloride, Beta carotene.



Nutritional Information

NUTRITION INFORMATION

	Average amount per 100mL made up formula	Average amount per 100g of powder
Energy	299 kJ	2088 kJ
Protein	2.9g	20g
Carbohydrate	6.4g	44.8g
Dietary Fibre	430mg	3000mg
Inulin fructans	100mg	700mg
GOS**	330mg	2300mg
Fat	3.7g	26g
Omega LCPs*	750mg	5230mg
alpha - Linolenic acid	66mg	460mg
Linoleic acid		4600mg
Docosahexaenoic acid (DHA)	10mg	70mg
Arachidonic acid (ARA)	14mg	100mg
Vitamins		
Vitamin A	106ugRE	740ugRE
Betacarotene	20µg	140 µg
Vitamin B6	66µg	460µg
Vitamin B12	0.5µg	3.5µg
Vitamin C	11mg	77mg
Vitamin D	1.5µg	10.6µg
Vitamin E	2.1mg α-TE	15mg α-TE
Vitamin K	9.3µg	65µg
Biotin	6.2µg	43µg
Niacin	688µg	4.8mg
Folic acid	16µg	110µg
Pantothenic acid	573µg	4mg
Riboflavin	186µg	1300µg
Thiamine	113µg	790µg
Minerals		
Calcium	90mg	630mg
Copper	53µg	370µg
Iodine	21µg	150µg
Iron	1.1mg	7.9mg
Magnesium	8.6mg	60mg
Manganese	44µg	310µg
Phosphorus	65mg	452mg
Selenium	3µg	24µg
Zinc	700µg	4.6mg
Chloride	86mg	600mg
Potassium	99mg	690mg
Sodium	27mg	190mg
Others		
Choline	17mg	120mg
Inositol	4.3mg	30mg
L-carnitine	2.4mg	17mg
Taurine	5.6mg	39mg
Lutein	14µg	100µg
Nucleotides	4.3mg	30mg
Cytidine 5'-MP#	1.5mg	10.2mg
Uridine 5'-MP# Sodium	1.0mg	7.2mg
Adenosine 5'-MP#	950µg	6.6mg
Inosine 5'-MP# Sodium	560µg	3.9mg
Guanosine 5'-MP# Sodium	300µg	2.1mg

* LCPs = Long Chain Polyunsaturated fatty acids

** GOS = Galacto-oligosaccharides

#MP = Monophosphate

Contains

Allergens: Milk, soy and fish.



Directions for use

Follow Preparation Guide as pictured below

Faulding[®]

BABY'S AGE	PRE-BOILED LUKEWARM WATER	LEVEL SCOOPS	FEEDS PER 24 HRS
6 - 9 MONTHS	180mL	3	4 TO 5
9 - 12 MONTHS	240mL	4	3 TO 4

1 SCOOP = 8.6g OF POWDER.

Note that your baby may need more or less than indicated. This is a general guide only. Each bottle should be prepared individually and ideally, formula should be prepared just prior to feeding. If a bottle of made up formula is to be stored prior to use, it must be refrigerated and used within 24 hours.

Preparation Faulding[®] Gold Stage 2 Follow-on Formula



1.

Prepare each bottle individually.



2.

Sterilise all utensils by boiling or using an approved steriliser.



3.

Boil drinking water and allow to cool to lukewarm (40°C).



4.

Measure the required amount of boiled, lukewarm water into a sterilised bottle.



5.

Use only the scoop from this can. Fill the scoop lightly and level.



6.

Add one level scoop for each 60ml of water.



7.

Cap the bottle and shake vigorously until the powder is dissolved.



8.

Discard any formula left in the bottle after feeding.



Warnings

Breast milk is best for babies.

Follow instructions exactly. Prepare bottles and teats as directed. Do not change proportions of powder except on medical advice. Incorrect preparation can make your baby very ill.

Product Storage

After opening, reseal can with the cap to keep airtight. Use contents within 4 weeks. Store in a cool dry place.

Barcode

9316100005281

Product Dimensions

175mm H x 130mm W x 130mm D