



## Faulding<sup>®</sup> Gold Infant Formula Stage 1 900g Powder

Faulding<sup>®</sup> Gold Infant Formula Stage 1 Premium Australian formula. Made in Gippsland, Victoria using Australian milk. Premium nutrition for your baby's growing needs.

### About this product

**When it comes to nourishment for babies, breast is best. Where breastfeeding is not possible Faulding<sup>®</sup> Gold Infant Formula is a suitable alternative.**

Faulding<sup>®</sup> Gold Infant formula is made in Gippsland, Victoria with the milk base from grass-fed Australian dairy cows.

The Faulding<sup>®</sup> Gold range contains milk derived whey and casein protein, along with essential vitamins and minerals to help provide your child with the nourishment they require for their growing bodies.

Faulding<sup>®</sup> Gold Infant Formula Stage 1 has been specifically formulated to nourish the growing needs of babies between 0-6 months.

Faulding<sup>®</sup> Gold product range is one of only a few premium standard formulas made in Australia from Australian milk and sold in Australian pharmacies.



## Ingredients

Contains: Skim milk solids, Demineralised whey powder, Vegetable oil blend (Soy, Palm, High Oleic Sunflower, Coconut, Emulsifier (soy Lecithin), Whey protein concentrate, Lactose, Galactooligosaccharides, Inulin, Fish Oil (DHA), Arachidonic acid (ARA), Taurine, Inositol, L-carnitine, Lutein. Nucleotides: Adenosine 5'-monophosphate, Cytidine 5'-monophosphate, Guanosine 5'-monophosphate sodium salt, Inosine 5'-monophosphate sodium salt, Uridine 5'-monophosphate sodium salt. Minerals: Calcium carbonate, Potassium chloride, Potassium phosphate dibasic, Calcium hydrogen phosphate, Sodium chloride, Magnesium chloride, Ferrous sulphate, Potassium citrate, Sodium citrate, Zinc sulphate, Copper sulphate, Manganese sulphate, Potassium iodide, Sodium selenite. Vitamins: Ascorbic acid, Vitamin E acetate, Vitamin A acetate, Cholecalciferol, Niacinamide, Calcium pantothenate, Phytonadione, Riboflavin-5 phosphate sodium, Thiamine hydrochloride, Pyridoxine hydrochloride, Cyanocobalamin, Folic acid, D-biotin, Choline chloride, Beta carotene.



## Nutritional Information

### NUTRITION INFORMATION

	Average amount per 100mL made up formula	Average amount per 100g of powder
<b>Energy</b>	<b>307kJ</b>	<b>2143kJ</b>
Protein	1.8g	12.5g
Carbohydrate	7.4g	51.4g
Dietary Fibre	0.4g	3.0g
Inulin fructans	100mg	700mg
GOS**	330mg	2300mg
<b>Fat</b>	<b>4g</b>	<b>27.9g</b>
Omega LCs*	799mg	5590mg
alpha - Linolenic acid	75mg	520mg
Linoleic acid	700mg	4900mg
Docosahexaenoic acid (DHA)	10mg	70mg
Arachidonic acid (ARA)	14mg	100mg
<b>Vitamins</b>		
Vitamin A	73µgRE	510µgRE
Betacarotene	16µg	110 µg
Vitamin B6	56µg	390µg
Vitamin B12	0.4µg	2.5µg
Vitamin C	14mg	98mg
Vitamin D	1.3µg	9.4µg
Vitamin E	1.9mg α-TE	13mg α-TE
Vitamin K	6.6µg	46µg
Biotin	4.2µg	29µg
Niacin	516µg	3.6mg
Folic acid	19µg	130µg
Pantothenic acid	602µg	4.2mg
Riboflavin	107µg	750µg
Thiamine	79µg	550µg
<b>Minerals</b>		
Calcium	73mg	510mg
Copper	56µg	390µg
Iodine	17µg	120µg
Iron	700µg	5.2mg
Magnesium	7.9mg	55mg
Manganese	23µg	160µg
Phosphorus	46mg	320mg
Selenium	3µg	21µg
Zinc	700µg	4.9mg
Chloride	66mg	460mg
Potassium	89mg	620mg
Sodium	29mg	200mg
<b>Others</b>		
Choline	12mg	82mg
Inositol	4.3mg	30mg
L-carnitine	2.3mg	16mg
Taurine	5mg	35mg
Lutein	14µg	100µg
<b>Nucleotides</b>	<b>4.3mg</b>	<b>30mg</b>
Cytidine 5'-MP#	1.5mg	10.2mg
Uridine 5'-MP# Sodium	1.0mg	7.2mg
Adenosine 5'-MP#	950µg	6.6mg
Inosine 5'-MP# Sodium	560µg	3.9mg
Guanosine 5'-MP# Sodium	300µg	2.1mg

\* LCs = Long Chain Polyunsaturated fatty acids

\*\* GOS = Galacto-oligosaccharides

#MP = Monophosphate

## Contains

Allergens: Milk, soy and fish.



**Directions for use**

Follow Preparation Guide as pictured below

# **Faulding**<sup>®</sup>

BABY'S AGE	AVERAGE WEIGHT	PRE-BOILED LUKEWARM WATER	LEVEL SCOOPS	FEEDS PER 24 HRS
UP TO 2 WEEKS	<3.7kg	60mL	1	7 TO 9
2 WEEKS - 2 MONTHS	3.7 - 5.6kg	120mL	2	5 TO 7
2 - 4 MONTHS	5.6 - 7.0kg	180mL	3	4 TO 5
4 - 6 MONTHS	7.0 - 8.0kg	180mL	3	4 TO 6

## 1 SCOOP = 8.6g OF POWDER.

Note that your baby may need more or less than indicated. This is a general guide only. Each bottle should be prepared individually and ideally, formula should be prepared just prior to feeding. If a bottle of made up formula is to be stored prior to use, it must be refrigerated and used within 24 hours.

## Preparation Faulding<sup>®</sup> Gold Stage 1 Infant Formula



1.

Prepare each bottle individually.



2.

Sterilise all utensils by boiling or using an approved steriliser.



3.

Boil drinking water and allow to cool to lukewarm (40°C).



4.

Measure the required amount of boiled, lukewarm water into a sterilised bottle.



5.

Use only the scoop from this can. Fill the scoop lightly and level.



6.

Add one level scoop for each 60mL of water.



7.

Cap the bottle and shake vigorously until the powder is dissolved.



8.

Discard any formula left in the bottle after feeding.



## **Warnings**

Breast milk is best for babies.

Follow instructions exactly. Prepare bottles and teats as directed. Do not change proportions of powder except on medical advice. Incorrect preparation can make your baby very ill.

## **Product Storage**

After opening, reseal can with the cap to keep airtight. Use contents within 4 weeks. Store in a cool dry place.

## **Barcode**

9316100005267

## **Product Dimensions**

175mm H x 130mm W x 130mm D